

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE web-app SYSTEM "http://java.sun.com/dtd/web-app_2_3.dtd" PUBLIC "-//Sun Microsystems,
Inc.//DTD Web Application 2.3//EN">
<web-app version="3.0" xsi:schemaLocation="http://java.sun.com/xml/ns/javaee
http://java.sun.com/xml/ns/javaee/web-app_3_0.xsd" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xmlns="http://java.sun.com/xml/ns/javaee">
  - <context-param>
    <param-name>contextConfigLocation</param-name>
    <param-value>applicationContext.xml</param-value>
  </context-param>
  - <context-param>
    <param-name>port</param-name>
    <!-- change port number if changed in server.xml, please change this port in case PIV/CAC
    configuration has been done for other port number -->
    <param-value>8443</param-value>
  </context-param>
  - <context-param>
    <param-name>log4jConfigLocation</param-name>
    <param-value>log4j.xml</param-value>
  </context-param>
  <!-- Parameter added for choosing authentication type from multiple authentication type supported
  by Ephesoft 0:Ephesoft Authentication, 1:SSO authentication only, 2:SSO authentication and
  authorisation with session variables -->
  - <context-param>
    <param-name>authenticationType</param-name>
    <param-value>0</param-value>
  </context-param>
  - <context-param>
    <param-name>protocol</param-name>
    <!-- change protocol to https when using PIV/CAC based authentication -->
    <param-value>https</param-value>
  </context-param>
  <!-- -->
  - <filter>
    <filter-name>springSecurityFilterChain</filter-name>
    <filter-class>org.springframework.web.filter.DelegatingFilterProxy</filter-class>
  </filter>
  - <filter-mapping>
    <filter-name>springSecurityFilterChain</filter-name>
    <url-pattern>/*</url-pattern>
  </filter-mapping>
  - <filter>
    <filter-name>authenticationFilter</filter-name>
    <filter-class>com.ephesoft.dcma.webapp.AuthenticationFilter</filter-class>
    <!-- Name of HTTP header containing User Name. -->
    - <init-param>
      <param-name>requestUsernameHeader</param-name>
      <param-value>REMOTE_USER</param-value>
    </init-param>
    <!-- Name of HTTP header containing Group Name. -->
    - <init-param>
      <param-name>requestGroupnameHeader</param-name>

```

```

        <param-value>GROUP_USER</param-value>
    </init-param>
    <!-- Name of HTTP header containing Super Admin. -->
-   <init-param>
        <param-name>requestSuperAdminHeader</param-name>
        <param-value>SUPER_ADMIN</param-value>
    </init-param>
    <!-- Logout URL -->
-   <init-param>
        <param-name>logoutUrl</param-name>
        <param-value>https://localhost:8443/dcma/saml/logout</param-value>
    </init-param>
</filter>
- <filter-mapping>
    <filter-name>authenticationFilter</filter-name>
    <url-pattern>*</url-pattern>
</filter-mapping>
- <filter>
    <filter-name>headerFilter</filter-name>
    <filter-class>com.ephesoft.dcma.webapp.HTTPHeaderFilter</filter-class>
</filter>
- <filter>
    <filter-name>hibernate.dcma</filter-name>
    <filter-class>org.springframework.orm.hibernate3.support.OpenSessionInViewFilter</filter-class>
</filter>
    <!-->
- <filter>
    <filter-name>serverAuthorizationFilter</filter-name>
    <filter-class>com.ephesoft.dcma.webapp.AuthorizationFilter</filter-class>
</filter>
- <filter-mapping>
    <filter-name>serverAuthorizationFilter</filter-name>
    <url-pattern>/SystemConfiguration.html</url-pattern>
</filter-mapping>
- <filter-mapping>
    <filter-name>serverAuthorizationFilter</filter-name>
    <url-pattern>/BatchClassManagement.html</url-pattern>
</filter-mapping>
- <filter-mapping>
    <filter-name>serverAuthorizationFilter</filter-name>
    <url-pattern>/WebScanner.html</url-pattern>
</filter-mapping>
- <filter-mapping>
    <filter-name>serverAuthorizationFilter</filter-name>
    <url-pattern>/AdvancedWebScanner.html</url-pattern>
</filter-mapping>
- <filter-mapping>
    <filter-name>serverAuthorizationFilter</filter-name>
    <url-pattern>/BatchInstanceManagement.html</url-pattern>
</filter-mapping>
- <filter-mapping>
    <filter-name>serverAuthorizationFilter</filter-name>

```

```

        <url-pattern>/ReviewValidate.html</url-pattern>
    </filter-mapping>
-   <filter-mapping>
        <filter-name>serverAuthorizationFilter</filter-name>
        <url-pattern>/BatchList.html</url-pattern>
    </filter-mapping>
-   <filter-mapping>
        <filter-name>serverAuthorizationFilter</filter-name>
        <url-pattern>/FolderManager.html</url-pattern>
    </filter-mapping>
-   <filter-mapping>
        <filter-name>serverAuthorizationFilter</filter-name>
        <url-pattern>/UploadBatch.html</url-pattern>
    </filter-mapping>
-   <filter-mapping>
        <filter-name>serverAuthorizationFilter</filter-name>
        <url-pattern>/Reports.html</url-pattern>
    </filter-mapping>
-   <filter-mapping>
        <filter-name>headerFilter</filter-name>
        <url-pattern>/*</url-pattern>
    </filter-mapping>
-   <filter-mapping>
        <filter-name>hibernate.dcma</filter-name>
        <url-pattern>/*</url-pattern>
    </filter-mapping>
    <!-- <filter> <filter-name>SessionTimeoutFilter</filter-name> <filter-
class>com.ephesoft.dcma.webapp.SessionTimeoutFilter</filter-class> </filter> <filter-mapping>
<filter-name>SessionTimeoutFilter</filter-name> <url-pattern>/*</url-pattern> </filter-mapping>
-->
    <!-- Authentication Filter for SSO -->
-   <filter>
        <filter-name>advancedWebScannerFilter</filter-name>
        <filter-class>com.ephesoft.dcma.webapp.AdvancedWebScannerFilter</filter-class>
        -   <init-param>
            <param-name>advancedWebScannerSwitch</param-name>
            <param-value>ON</param-value>
        </init-param>
    </filter>
-   <filter-mapping>
        <filter-name>advancedWebScannerFilter</filter-name>
        <url-pattern>/WebScanner.html</url-pattern>
    </filter-mapping>
-   <filter-mapping>
        <filter-name>advancedWebScannerFilter</filter-name>
        <url-pattern>/AdvancedWebScanner.html</url-pattern>
    </filter-mapping>
-   <listener>
        <listener-class>org.springframework.web.util.Log4jConfigListener</listener-class>
    </listener>
-   <listener>
        <listener-class>org.springframework.web.context.ContextLoaderListener</listener-class>

```

```

</listener>
- <listener>
    <listener-class>com.ephesoft.dema.webapp.SessionListener</listener-class>
</listener>
- <servlet>
    <servlet-name>inforIONUploadServlet</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.InforIONUploadServlet</servlet-class>
</servlet>
- <servlet-mapping>
    <servlet-name>inforIONUploadServlet</servlet-name>
    <url-pattern>/gxt-admin/inforUploadIONServlet</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>DispatcherServlet</servlet-name>
    <servlet-class>org.springframework.web.servlet.DispatcherServlet</servlet-class>
    - <init-param>
        <param-name>contextConfigLocation</param-name>
        <param-value/>
    </init-param>
    <load-on-startup>1</load-on-startup>
</servlet>
- <servlet>
    <servlet-name>limService</servlet-name>
    <servlet-class>com.ephesoft.gxt.rv.server.LineItemMatchingServiceImpl</servlet-class>
</servlet>
- <servlet-mapping>
    <servlet-name>limService</servlet-name>
    <url-pattern>/reviewValidate/limService</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>batchListService</servlet-name>
    <servlet-class>com.ephesoft.gxt.home.server.BatchListServiceImpl</servlet-class>
</servlet>
- <servlet>
    <servlet-name>rvService</servlet-name>
    <servlet-class>com.ephesoft.gxt.rv.server.ReviewValidateServiceImpl</servlet-class>
</servlet>
- <servlet>
    <servlet-name>bmService</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.BatchClassManagementServiceImpl</servlet-class>
</servlet>
- <servlet>
    <servlet-name>loginService</servlet-name>
    <servlet-class>com.ephesoft.gxt.login.server.LoginServiceImpl</servlet-class>
</servlet>
- <servlet>
    <servlet-name>webScannerService</servlet-name>
    <servlet-class>com.ephesoft.gxt.webscanner.server.WebScannerServiceImpl</servlet-class>
</servlet>
- <servlet>
    <servlet-name>webScannerServiceWithoutApplet</servlet-name>

```

```

        <servlet-class>com.ephesoft.gxt.webscannerwithoutapplet.server.WebScannerServiceImpl</servlet-
            class>
    </servlet>
- <servlet>
    <servlet-name>batchInstanceService</servlet-name>
    <servlet-
        class>com.ephesoft.gxt.batchinstance.server.BatchInstanceManagementServiceImpl</servlet-
            class>
    </servlet>
- <servlet>
    <servlet-name>customWorkflowService</servlet-name>
    <servlet-
        class>com.ephesoft.dema.gwt.customWorkflow.server.CustomWorkflowServiceImpl</servlet-
            class>
    </servlet>
- <servlet-mapping>
    <servlet-name>customWorkflowService</servlet-name>
    <url-pattern>/customWorkflow/customWorkflowService</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>systemConfigService</servlet-name>
    <servlet-class>com.ephesoft.gxt.systemconfig.server.SystemConfigServiceImpl</servlet-class>
</servlet>
- <servlet-mapping>
    <servlet-name>systemConfigService</servlet-name>
    <url-pattern>/systemConfig/systemConfigService</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>batchInstanceService</servlet-name>
    <url-pattern>/batchInstance/batchInstanceService</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>reportingService</servlet-name>
    <servlet-class>com.ephesoft.gxt.reporting.server.ReportingServiceImpl</servlet-class>
</servlet>
- <servlet>
    <servlet-name>uploadBatchService</servlet-name>
    <servlet-class>com.ephesoft.gxt.uploadbatch.server.UploadBatchServiceImpl</servlet-class>
</servlet>
- <servlet>
    <servlet-name>uploadServlet</servlet-name>
    <servlet-class>com.ephesoft.dema.twain.UploadServlet</servlet-class>
    <load-on-startup>1</load-on-startup>
</servlet>
- <servlet>
    <servlet-name>loggingServlet</servlet-name>
    <servlet-class>com.ephesoft.dema.twain.LoggingServlet</servlet-class>
    <load-on-startup>1</load-on-startup>
</servlet>
- <servlet>
    <servlet-name>ScannerStatusConveyerServlet</servlet-name>
    <servlet-class>com.ephesoft.dema.twain.ScannerStatusConveyerServlet</servlet-class>

```

```

        <load-on-startup>1</load-on-startup>
    </servlet>
- <servlet>
    <servlet-name>externalAppAuthenticationServlet</servlet-name>
    <servlet-class>com.ephessoft.gxt.rv.server.ExternalAppAuthenticationServlet</servlet-class>
    <load-on-startup>1</load-on-startup>
</servlet>
- <servlet>
    <servlet-name>importBatchClassUploadServlet</servlet-name>
    <servlet-class>com.ephessoft.gxt.admin.server.ImportBatchClassUploadServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>importTableUploadServlet</servlet-name>
    <servlet-class>com.ephessoft.gxt.admin.server.ImportTableUploadServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>documentFileLearningUpload</servlet-name>
    <servlet-class>com.ephessoft.gxt.admin.server.DocumentTypeLearnFileServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>folderManagementService</servlet-name>
    <servlet-class>com.ephessoft.gxt.foldermanager.server.FolderManagerServiceImpl</servlet-class>
</servlet>
- <servlet-mapping>
    <servlet-name>folderManagementService</servlet-name>
    <url-pattern>/folderManager/folderManagementService</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>uploadDownloadFilesServlet</servlet-name>
    <servlet-class>com.ephessoft.gxt.foldermanager.server.UploadDownloadFilesServlet</servlet-class>
</servlet>
- <servlet-mapping>
    <servlet-name>uploadDownloadFilesServlet</servlet-name>
    <url-pattern>/folderManager/filesUploadDownload</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>importBatchClassUploadServlet</servlet-name>
    <url-pattern>/dcma-gwt-admin/importBatchClassUpload</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>ImportPluginUploadServlet</servlet-name>
    <servlet-class>com.ephessoft.gxt.systemconfig.server.ImportPluginUploadServlet</servlet-class>
</servlet>
- <servlet-mapping>
    <servlet-name>ImportPluginUploadServlet</servlet-name>
    <url-pattern>/dcma-gwt-custom-workflow/importPluginUploadServlet</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>uploadImageFileServlet</servlet-name>
    <servlet-class>com.ephessoft.gxt.admin.server.UploadImageFileServlet</servlet-class>
</servlet>
- <servlet>

```

```

        <servlet-name>uploadAdvanceBarcodeImageFileServlet</servlet-name>
        <servlet-class>com.ephesoft.gxt.admin.server.UploadAdvanceBarcodeImageFileServlet</servlet-
            class>
    </servlet>
- <servlet>
    <servlet-name>uploadBatchImageServlet</servlet-name>
    <servlet-class>com.ephesoft.gxt.uploadbatch.server.UploadBatchImageServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>exportBatchClassDownload</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.ExportBatchClassDownloadServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>exportDocumentTypeDownload</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.ExportDocumentTypeDownloadServlet</servlet-
        class>
</servlet>
- <servlet>
    <servlet-name>exportIndexFieldDownload</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.ExportIndexFieldDownloadServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>exportTableInfoDownload</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.ExportTableInfoDownloadServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>importDocumentTypeUpload</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.ImportDocumentTypeUploadServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>importIndexField</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.ImportIndexFieldUploadServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>importTableInfo</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.ImportTableInfoUploadServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>uploadTestClassificationFile</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.UploadClassifyExtractFile</servlet-class>
</servlet>
- <servlet>
    <servlet-name>themeService</servlet-name>
    <servlet-class>com.ephesoft.dcmawgt.theme.server.ThemeServiceImpl</servlet-class>
</servlet>
- <servlet>
    <servlet-name>exportRegexPool</servlet-name>
    <servlet-class>com.ephesoft.gxt.systemconfig.server.ExportRegexPoolServlet</servlet-class>
</servlet>
- <servlet>
    <servlet-name>importPool</servlet-name>
    <servlet-class>com.ephesoft.gxt.systemconfig.server.ImportPoolServlet</servlet-class>

```



```

</servlet>
- <servlet>
    <servlet-name>exportTableColumnPool</servlet-name>
    <servlet-
        class>com.ephesoft.dcm.gwt.systemConfig.server.ExportTableColumnPoolServlet</servlet-
        class>
</servlet>
    <!-- <servlet> <servlet-name>propertiesFileUploadServlet</servlet-name> <servlet-
        class>com.ephesoft.dcm.gwt.licensegenerator.server.PropertiesFileUploadServlet</servlet-class>
    </servlet> <servlet> <servlet-name>licenseGeneratorService</servlet-name> <servlet-
        class>com.ephesoft.dcm.gwt.licensegenerator.server.LicenseGeneratorServiceImpl</servlet-class>
    </servlet> <servlet> <servlet-name>generateLicenseServlet</servlet-name> <servlet-
        class>com.ephesoft.dcm.gwt.licensegenerator.server.GenerateLicenseServlet</servlet-class>
    </servlet> <servlet> <servlet-name>generateReportServlet</servlet-name> <servlet-
        class>com.ephesoft.dcm.gwt.licensegenerator.server.GenerateExcelReportServlet</servlet-class>
    </servlet> -->
- <servlet-mapping>
    <servlet-name>DispatcherServlet</servlet-name>
    <url-pattern>/rest/*</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>DispatcherServlet</servlet-name>
    <url-pattern>/ws/*</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>batchListService</servlet-name>
    <url-pattern>/batchList/batchListService</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>rvService</servlet-name>
    <url-pattern>/reviewValidate/rvService</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>bmService</servlet-name>
    <url-pattern>/bm/bmService</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>loginService</servlet-name>
    <url-pattern>/login/loginService</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>webScannerService</servlet-name>
    <url-pattern>/webscanner/webScannerService</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>webScannerServiceWithoutApplet</servlet-name>
    <url-pattern>/webscannerwithoutapplet/webScannerServiceWithoutApplet</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>reportingService</servlet-name>
    <url-pattern>/Reporting/reportingService</url-pattern>
</servlet-mapping>

```



```
- <servlet-mapping>
    <servlet-name>uploadBatchService</servlet-name>
    <url-pattern>/uploadbatch/uploadBatchService</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>uploadServlet</servlet-name>
    <url-pattern>/upload</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>loggingServlet</servlet-name>
    <url-pattern>/logging</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>ScannerStatusConveyerServlet</servlet-name>
    <url-pattern>/scannerStatusConveyer</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>externalAppAuthenticationServlet</servlet-name>
    <url-pattern>/authenticate</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>importBatchClassUploadServlet</servlet-name>
    <url-pattern>/gxt-admin/importBatchClassUpload</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>importTableUploadServlet</servlet-name>
    <url-pattern>/gxt-admin/importTableUpload</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>documentFileLearningUpload</servlet-name>
    <url-pattern>/gxt-admin/documentFileLearningUpload</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>uploadImageFileServlet</servlet-name>
    <url-pattern>/uploadImageFile</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>uploadAdvanceBarcodeImageFileServlet</servlet-name>
    <url-pattern>/uploadAdvanceBarcodeImageFile</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>uploadBatchImageServlet</servlet-name>
    <url-pattern>/dcma-gwt-upload-batch/uploadBatch</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>exportBatchClassDownload</servlet-name>
    <url-pattern>/gxt-admin/exportBatchClassDownload</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>exportDocumentTypeDownload</servlet-name>
    <url-pattern>/gxt-admin/exportDocumentTypeDownload</url-pattern>
</servlet-mapping>
```

```

- <servlet-mapping>
    <servlet-name>exportIndexFieldDownload</servlet-name>
    <url-pattern>/gxt-admin/exportIndexFieldDownload</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>exportTableInfoDownload</servlet-name>
    <url-pattern>/gxt-admin/exportTableInfoDownload</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>importDocumentTypeUpload</servlet-name>
    <url-pattern>/gxt-admin/importDocumentTypeUpload</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>importIndexField</servlet-name>
    <url-pattern>/gxt-admin/importIndexField</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>importTableInfo</servlet-name>
    <url-pattern>/gxt-admin/importTableInfo</url-pattern>
</servlet-mapping>
- <servlet-mapping>
    <servlet-name>uploadTestClassificationFile</servlet-name>
    <url-pattern>/gxt-admin/uploadTestClassificationFile</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>logFileDownloadServlet</servlet-name>
    <servlet-class>com.ephesoft.dcma.gwt.batchInstance.server.LogFileDownloadServlet</servlet-
class>
</servlet>
- <servlet-mapping>
    <servlet-name>logFileDownloadServlet</servlet-name>
    <url-pattern>/dcma-gwt-batch-instance/logFileDownload</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>fileDownloadServlet</servlet-name>
    <servlet-class>com.ephesoft.gxt.admin.server.LearnFileDownloadServlet</servlet-class>
</servlet>
- <servlet-mapping>
    <servlet-name>fileDownloadServlet</servlet-name>
    <url-pattern>/gxt-admin/learnFileDownload</url-pattern>
</servlet-mapping>
- <servlet>
    <servlet-name>downloadToolKitServlet</servlet-name>
    <servlet-
class>com.ephesoft.gxt.webscannerwithoutapplet.server.DownloadToolKitServlet</servlet-
class>
</servlet>
- <servlet-mapping>
    <servlet-name>downloadToolKitServlet</servlet-name>
    <url-pattern>/gxt-webscannerwithoutapplet/downloadToolKitServlet</url-pattern>
</servlet-mapping>
- <servlet-mapping>

```

```

        <servlet-name>themeService</servlet-name>
        <url-pattern>/theme/themeService</url-pattern>
    </servlet-mapping>
-   <servlet-mapping>
        <servlet-name>exportRegexPool</servlet-name>
        <url-pattern>/gxt-system-config/exportRegexPool</url-pattern>
    </servlet-mapping>
-   <servlet-mapping>
        <servlet-name>importPool</servlet-name>
        <url-pattern>/gxt-system-config/importPool</url-pattern>
    </servlet-mapping>
-   <servlet-mapping>
        <servlet-name>exportTableColumnPool</servlet-name>
        <url-pattern>/dcma-gwt-system-config/exportTableColumnPool</url-pattern>
    </servlet-mapping>
    <!-- Added for defining the servlet for troubleshooting -->
-   <servlet>
        <servlet-name>DownloadBatchInstanceServlet</servlet-name>
        <servlet-class>com.ephesoft.gxt.batchinstance.server.BatchInfoDownloadServlet</servlet-class>
    </servlet>
-   <servlet>
        <servlet-name>TestContentResultDownloadServlet</servlet-name>
        <servlet-class>com.ephesoft.gxt.admin.server.TestContentResultDownloadServlet</servlet-class>
    </servlet>
-   <servlet>
        <servlet-name>TestExtractionResultDownloadServlet</servlet-name>
        <servlet-class>com.ephesoft.gxt.admin.server.TestExtractionResultDownloadServlet</servlet-
            class>
    </servlet>
-   <servlet-mapping>
        <servlet-name>TestContentResultDownloadServlet</servlet-name>
        <url-pattern>/gxt-admin/downloadTestContentResult</url-pattern>
    </servlet-mapping>
-   <servlet-mapping>
        <servlet-name>TestExtractionResultDownloadServlet</servlet-name>
        <url-pattern>/gxt-admin/downloadTestExtractionResult</url-pattern>
    </servlet-mapping>
-   <servlet-mapping>
        <servlet-name>DownloadBatchInstanceServlet</servlet-name>
        <url-pattern>/dcma-gwt-batchInstance/downloadBatchInstance</url-pattern>
    </servlet-mapping>
    <!-- <servlet-mapping> <servlet-name>propertiesFileUploadServlet</servlet-name> <url-
        pattern>/license-generator/propertiesFileUpload</url-pattern> </servlet-mapping> <servlet-
        mapping> <servlet-name>licenseGeneratorService</servlet-name> <url-
        pattern>/license-generator/licenseGeneratorService</url-pattern> </servlet-mapping> <servlet-
        mapping> <servlet-name>generateLicenseServlet</servlet-name> <url-pattern>/license-
        generator/generateLicenseServlet</url-pattern> </servlet-mapping> <servlet-mapping> <servlet-
        name>generateReportServlet</servlet-name> <url-pattern>/license-
        generator/generateReportServlet</url-pattern> </servlet-mapping>-->
    <!-- <servlet> <servlet-name>SessionTimeoutServlet</servlet-name> <servlet-
        class>com.ephesoft.dcma.webapp.SessionTimeoutServlet</servlet-class> </servlet> <servlet-

```

```

mapping> <servlet-name>SessionTimeoutServlet</servlet-name> <url-
pattern>/sessiontimeout</url-pattern> </servlet-mapping> -->
<!-- <session-config> <session-timeout>30</session-timeout> </session-config> <error-page>
<error-code>403</error-code> <location>/access-denied.html</location> </error-page> -->
<!-- <security-constraint> <web-resource-collection> <web-resource-name>review validate</web-
resource-name> <url-pattern>/ReviewValidate.html</url-pattern> <http-method>GET</http-
method> <http-method>POST</http-method> </web-resource-collection> <auth-constraint> <role-
name>*</role-name> </auth-constraint> </security-constraint> <security-constraint> <web-
resource-collection> <web-resource-name>batch list</web-resource-name> <url-
pattern>/BatchList.html</url-pattern> <http-method>GET</http-method> <http-
method>POST</http-method> </web-resource-collection> <auth-constraint> <role-name>*</role-
name> </auth-constraint> </security-constraint> <security-constraint> <web-resource-collection>
<web-resource-name>batch class management</web-resource-name> <url-
pattern>/BatchClassManagement.html</url-pattern> <http-method>GET</http-method> <http-
method>POST</http-method> </web-resource-collection> <auth-constraint> <role-name>*</role-
name> </auth-constraint> </security-constraint> <security-constraint> <web-resource-collection>
<web-resource-name>batch instance management</web-resource-name> <url-
pattern>/BatchInstanceManagement.html</url-pattern> <http-method>GET</http-method> <http-
method>POST</http-method> </web-resource-collection> <auth-constraint> <role-name>*</role-
name> </auth-constraint> </security-constraint> <security-constraint> <web-resource-collection>
<web-resource-name>web scanner</web-resource-name> <url-pattern>/WebScanner.html</url-
pattern> <http-method>GET</http-method> <http-method>POST</http-method> </web-resource-
collection> <auth-constraint> <role-name>*</role-name> </auth-constraint> </security-constraint>
<security-constraint> <web-resource-collection> <web-resource-name>web scanner without
applet</web-resource-name> <url-pattern>/AdvancedWebScanner.html</url-pattern> <http-
method>GET</http-method> <http-method>POST</http-method> </web-resource-collection>
<auth-constraint> <role-name>*</role-name> </auth-constraint> </security-constraint> <security-
constraint> <web-resource-collection> <web-resource-name>reporting</web-resource-name> <url-
pattern>/Reports.html</url-pattern> <http-method>GET</http-method> <http-
method>POST</http-method> </web-resource-collection> <auth-constraint> <role-name>*</role-
name> </auth-constraint> </security-constraint> <security-constraint> <web-resource-collection>
<web-resource-name>web service</web-resource-name> <url-pattern>/rest/*</url-pattern> <http-
method>GET</http-method> <http-method>POST</http-method> </web-resource-collection>
<auth-constraint> <role-name>*</role-name> </auth-constraint> </security-constraint> <security-
constraint> <web-resource-collection> <web-resource-name>upload batch</web-resource-name>
<url-pattern>/UploadBatch.html</url-pattern> <http-method>GET</http-method> <http-
method>POST</http-method> </web-resource-collection> <auth-constraint> <role-name>*</role-
name> </auth-constraint> </security-constraint> <security-constraint> <web-resource-collection>
<web-resource-name>custom workflow management</web-resource-name> <url-
pattern>/CustomWorkflowManagement.html</url-pattern> <http-method>GET</http-method>
<http-method>POST</http-method> </web-resource-collection> <auth-constraint> <role-
name>*</role-name> </auth-constraint> </security-constraint> <security-constraint> <web-
resource-collection> <web-resource-name>System Configuration Management</web-resource-
name> <url-pattern>/SystemConfiguration.html</url-pattern> <http-method>GET</http-method>
<http-method>POST</http-method> </web-resource-collection> <auth-constraint> <role-
name>*</role-name> </auth-constraint> </security-constraint> <security-constraint> <web-
resource-collection> <web-resource-name>folder management</web-resource-name> <url-
pattern>/FolderManager.html</url-pattern> <http-method>GET</http-method> <http-
method>POST</http-method> </web-resource-collection> <auth-constraint> <role-name>*</role-
name> </auth-constraint> </security-constraint> <security-constraint> <web-resource-collection>
<web-resource-name>theme</web-resource-name> <url-pattern>/Theme.html</url-pattern> <http-

```

```

method>GET</http-method> <http-method>POST</http-method> </web-resource-collection>
<auth-constraint> <role-name>*</role-name> </auth-constraint> </security-constraint> -->
<!-- <login-config> <auth-method>FORM</auth-method> <form-login-config> <form-login-
page>/Login.html</form-login-page> <form-error-page>/Login.html</form-error-page> </form-
login-config> </login-config> -->
- <security-role>
  <role-name>*</role-name>
</security-role>
<!-- PIV/CAC configuraion, please un-comment when configuring PIV/CAC, make sure to
comment FORM auth login config -->
<!-- <login-config> <auth-method>CLIENT-CERT</auth-method> </login-config> <security-
role> <role-name>*</role-name> </security-role> -->
<!-- <security-constraint> <web-resource-collection> <web-resource-name>license
generator</web-resource-name> <url-pattern>/LicenseGenerator.html</url-pattern> <http-
method>GET</http-method> <http-method>POST</http-method> </web-resource-collection>
<auth-constraint> <role-name>*</role-name> </auth-constraint> </security-constraint> <security-
constraint> <web-resource-collection> <web-resource-name>Web Based License Generator</web-
resource-name> <url-pattern>/licenseGenerator/licenseGeneratorService</url-pattern> <http-
method>GET</http-method> <http-method>POST</http-method> </web-resource-collection>
<auth-constraint> <role-name>*</role-name> </auth-constraint> </security-constraint> -->
<!-- RPC Security constraints <security-constraint> <web-resource-collection> <web-resource-
name>RPC Security constraints</web-resource-name> <url-
pattern>/customWorkflow/customWorkflowService</url-pattern> <url-
pattern>/systemConfig/systemConfigService</url-pattern> <url-
pattern>/batchInstance/batchInstanceService</url-pattern> <url-
pattern>/folderManager/folderManagementService</url-pattern> <url-
pattern>/folderManager/filesUploadDownload</url-pattern> <url-pattern>/dcma-gwt-
admin/importBatchClassUpload</url-pattern> <url-pattern>/dcma-gwt-custom-
workflow/importPluginUploadServlet</url-pattern> <url-pattern>/batchList/batchListService</url-
pattern> <url-pattern>/reviewValidate/rvService</url-pattern> <url-pattern>/bm/bmService</url-
pattern> <url-pattern>/webscanner/webScannerService</url-pattern> <url-
pattern>/webscannerwithoutapplet/webScannerServiceWithoutApplet</url-pattern> <url-
pattern>/Reporting/reportingService</url-pattern> <url-
pattern>/uploadbatch/uploadBatchService</url-pattern> <url-pattern>/upload</url-pattern> <url-
pattern>/authenticate</url-pattern> <url-pattern>/gxt-admin/importBatchClassUpload</url-pattern>
<url-pattern>/gxt-admin/importTableUpload</url-pattern> <url-pattern>/gxt-
admin/documentFileLearningUpload</url-pattern> <url-pattern>/uploadImageFile</url-pattern>
<url-pattern>/uploadAdvanceBarcodeImageFile</url-pattern> <url-pattern>/dcma-gwt-upload-
batch/uploadBatch</url-pattern> <url-pattern>/gxt-admin/exportBatchClassDownload</url-
pattern> <url-pattern>/gxt-admin/exportDocumentTypeDownload</url-pattern> <url-pattern>/gxt-
admin/exportIndexFieldDownload</url-pattern> <url-pattern>/gxt-
admin/importDocumentTypeUpload</url-pattern> <url-pattern>/gxt-admin/importIndexField</url-
pattern> <url-pattern>/gxt-admin/uploadTestClassificationFile</url-pattern> <url-pattern>/dcma-
gwt-batch-instance/logFileDownload</url-pattern> <url-pattern>/theme/themeService</url-pattern>
<url-pattern>/gxt-system-config/exportRegexPool</url-pattern> <url-pattern>/gxt-system-
config/importPool</url-pattern> <url-pattern>/dcma-gwt-system-
config/exportTableColumnPool</url-pattern> <url-pattern>/gxt-
admin/downloadTestContentResult</url-pattern> <url-pattern>/gxt-
admin/downloadTestExtractionResult</url-pattern> <url-pattern>/dcma-gwt-
batchInstance/downloadBatchInstance</url-pattern> <url-pattern>/bm/bmService</url-pattern>
<url-pattern>/batchInstance/batchInstanceService</url-pattern> <url-
pattern>/systemConfig/systemConfigService</url-pattern> <url-

```

```

pattern>/batchList/batchListService</url-pattern> <url-pattern>/reviewValidate/rvService</url-
pattern> <http-method>GET</http-method> <http-method>POST</http-method> </web-resource-
collection> <auth-constraint> <role-name>*</role-name> </auth-constraint> </security-constraint>
-->
<!-- RPC Security constraints -->
- <error-page>
  <error-code>401</error-code>
  <location>/auth-denied.html</location>
</error-page>
- <error-page>
  <error-code>404</error-code>
  <location>/home.html</location>
</error-page>
- <error-page>
  <error-code>408</error-code>
  <location>/home.html</location>
</error-page>
- <error-page>
  <error-code>500</error-code>
  <location>/home.html</location>
</error-page>
- <error-page>
  <error-code>502</error-code>
  <location>/home.html</location>
</error-page>
- <error-page>
  <error-code>503</error-code>
  <location>/home.html</location>
</error-page>
</web-app>

```